



**NATURE, PRESERVED.
QUALITY, DELIVERED.**

DEHYDRATED FOOD INGREDIENTS

Discover India-sourced dehydrated onion, garlic, ginger and vegetable ingredients in flakes, chopped, minced, granules and powders. Ideal for food manufacturers, distributors, restaurants and commercial kitchens, our range offers convenience, consistent flavour and extended usability across diverse applications.

Explore our range. Choose your form. Source with confidence.

ONE HARVEST. MANY POSSIBILITIES

EVERYDAY ESSENTIALS

- ONION | GARLIC | GINGER

VERSATILE VEGETABLE INGREDIENTS

- TOMATO | CARROT | BEETROOT
GREEN CHILLI | POTATO

AROMATIC HERBS

- CORIANDER | MINT | FENUGREEK
| SPINACH |

SPRAY DRIED

- TAMARIND | TOMATO | GINGER |
CARROT | LEMON | BEETROOT

POWDER | FLAKES | MINCED | CHOPPED | GRANULES



FLAVOUR

Natural ingredients character



CONVENIENCE

Ready-to-use dehydrated forms



GLOBAL BENCHMARK

International food-grade export standards



BULK READY

Container-load volume, constant supply

DEHYDRATED ONION, GARLIC & GINGER

Premium quality onion, garlic and ginger in powder, flakes, granules, minced and chopped forms.



Onion

Variety : PINK / RED/ WHITE

Forms: Powder / Flakes / chopped / Minced
 Onion Chopped (3–5 mm)
 Onion Minced (1–3 mm)
 Onion Granules (0.5–1 mm)

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg



Garlic

Variety : Powder / Flakes / chopped / Minced

Forms : Garlic Flakes (Sorted)
 Garlic Flakes (Unsorted)
 Garlic Chopped (3–5 mm / 5–7 mm)
 Garlic Minced (1–3 mm)
 Garlic Granules (0.2–0.5 mm / 0.5–1 mm)
 Garlic Powder (Premium / Regular)

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg



Ginger

Forms : Ginger Flakes
 Premium Ginger Powder
 Regular Ginger Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

VEGETABLES INGREDIENTS

A wide range of dehydrated vegetables and leaf powders, sourced, processed and packed with care.

Carrot

Forms : Powder / Cubes

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- No added colors
- 100% Natural Dehydration
- Gluten free & non-GMO

Tomato

Forms : Powder / Cubes

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- No added colors
- 100% Natural Dehydration
- Gluten free & non-GMO

Beetroot

Forms : Powder / Flakes

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- No added colors
- 100% Natural Dehydration
- Gluten free & non-GMO

Cabbage

Forms : Powder / Flakes

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- No added colors
- 100% Natural Dehydration
- Gluten free & non-GMO

Potato

Forms : Powder / Flakes

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- No added colors
- 100% Natural Dehydration
- Gluten free & non-GMO

Spinach

Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- No added colors
- 100% Natural Dehydration
- Gluten free & non-GMO

VEGETABLES INGREDIENTS

A wide range of dehydrated vegetables and leaf powders, sourced, processed and packed with care.

Curry Leaves

Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- No added colors
- 100% Natural Dehydration
- Gluten free & non-GMO



Coriander Leaves

Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- No added colors
- 100% Natural Dehydration
- Gluten free & non-GMO



Fenugreek Leaves

Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- No added colors
- 100% Natural Dehydration
- Gluten free & non-GMO



Green Mango

Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- No added colors
- 100% Natural Dehydration
- Gluten free & non-GMO



Mint Leaves

Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- No added colors
- 100% Natural Dehydration
- Gluten free & non-GMO



SPRAY-DRIED POWDERS

Fine, free-flowing spray-dried powders — instantly soluble, ideal for beverages and instant food formulations.

Tamarind



Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- Smooth, free-flowing powder
- Authentic sweet and tangy taste
- No added colors

Lemon



Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- Fresh citrus flavour
- Excellent solubility
- No added colors

Beetroot



Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- Excellent solubility
- Smooth, free-flowing powder
- No added colors

Tomato



Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- Rich tomato flavour with natural umami
- Excellent solubility
- No added colors

Ginger



Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- Warm and aromatic ginger flavour
- Fine, free-flowing powder
- No added colors

Green chilli



Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- Fresh green chilli flavour
- Excellent solubility
- No added colors

Carrot



Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- Naturally sweet carrot flavour
- Excellent dispersibility
- No added colors

Mint



Forms : Powder

Shelf life : 24 Months

Moisture content : 4-6%

MOQ : 100 kg

- Refreshing mint flavour
- Fine, free-flowing powder
- No added colors

Good to Know

- Standard export packaging: 10 / 12 / 14 / 25 kg PE bag with strong outer paper packing. Custom packaging available on request.
- All products are gluten free and Non-GMO, with no added colors or preservatives.
- Products are sourced from trusted Indian manufacturers and selected according to buyer requirements and quality specifications.

CERTIFICATIONS

FSSC 22000

IEC Certified

APEDA

FSSAI

KOSHER

HALAL

WHY PARTNER WITH TULKEN EXPORTS



Consistent Quality

Rigorous QC at every stage of processing



Custom Packaging

Bag sizes and branding tailored to your order



Reliable Supply

Container-load volumes, year-around availability



Responsive Support

Direct line to our export team for every order

LET'S START A CONVERSATION

Survey No. 61/5A/3/4, Rathi Nagar, Sukh Sagar Nagar, Kondhwa Budruk, Pune, Maharashtra - 411046

contact@tulkenexports.com | +91 70282 96191 / +91 95298 92104



RETAINING NATURE'S BEST

HEALTHY READY-TO-EAT SNACKS

Wholesome Snacking. Export Ready.

At Tulken Exports, we supply a range of vacuum-cooked and conventionally-cooked healthy snacks, made from premium raw materials.

Our snacks are transfat and gluten free, offering the natural taste and nutrition of fresh vegetables and grains in a crisp, ready-to-eat format.



OUR PRODUCT CATEGORIES

VACUUM-COOKED SNACKS

Chickpeas, Beetroot Chips, Cluster Beans, Okra, Kothimbir Vadi

CONVENTIONALLY-COOKED SNACKS

Bhajni Chakli & Banana Chips



100% Natural

No added preservatives or colors



Premium Quality

Strict raw material selection



Retains Goodness

Natural taste, color & aroma



Global Supply

Reliable, on-time delivery



Trusted Partner

Transparent, long-term relationships

"Made Fresh. Cooked with Care. Snacked Worldwide."

VACUUM-COOKED SNACKS

Vacuum-cooked to a crunchy texture with lower oil absorption than conventional frying.



Vacuum-cooked Okra

Crispy Okra chips

Shelf life : 6 Months

MOQ : 50 kg

- Less oil, More crunch
- Healthy & Nutritious
- Gluten & transfat free



Vacuum-cooked Beetroot

Crispy Beetroot chips

Shelf life : 6 Months

MOQ : 50 kg

- Less oil, More crunch
- Healthy & Nutritious
- Gluten & transfat free



Vacuum-cooked Chickpeas

Crispy Chickpeas / kabuli chana

Shelf life : 6 Months

MOQ : 50 kg

- Less oil, More crunch
- Healthy & Nutritious
- Gluten & transfat free

VACUUM-COOKED SNACKS

Vacuum-cooked to a crunchy texture with lower oil absorption than conventional frying.



Vaccum-cooked Crispy Coriander Herbal Cakes (Kothimbir Vadi)

- Prepared with fresh coriander leaves
- Crispy texture
- Authentic homemade flavour
- Transfat & gluten free



Vacuum-cooked Cluster beans

- Crispy Cluster beans / Gawar
- Shelf life : 6 Months
- MOQ : 50 kg
- Less oil, More crunch
- Healthy & Nutritious
- Gluten & transfat free

CONVENTIONALLY-COOKED SNACKS

Traditional Maharashtrian recipes, made fresh and packed for export.



Bhajni Chakli

- Authentic Maharashtrian recipe
- Made from roasted grain flour blend
- Rich traditional flavour
- Lower oil absorption
- Transfat & gluten free
- Shelf life - 45 days



Banana Chips

- Thin sliced, Crispy, Crunchy texture
- Made with Cold-pressed coconut oil
- Lower oil absorption
- Transfat & gluten free
- Flavours - Classic salted & Peri Peri
- Shelf life - 45 days

Good to Know

- Made from premium raw materials, transfat and gluten free, suitable for retail brands, supermarkets, cafés and private label manufacturers.
- Packaging: high-barrier aluminium laminated, nitrogen-flushed retail bags. Custom packaging available on request.

CERTIFICATIONS

A circular icon with a gold border containing the text "ISO 9001".

ISO 9001

A circular icon with a gold border containing the text "IEC Certified".

IEC Certified

A circular icon with a gold border containing the text "APEDA".

APEDA

A circular icon with a gold border containing the text "FSSAI".

FSSAI

A circular icon with a gold border containing the text "MSME Reg.".

MSME Reg.

LET'S START A CONVERSATION

Survey No. 61/5A/3/4, Rathi Nagar, Sukh Sagar Nagar, Kondhwa Budruk, Pune, Maharashtra - 411046

contact@tulkenexports.com | +91 70282 96191 / +91 95298 92104

We source a wide range of high-quality products from manufacturers who comply with internationally recognized quality standards and industry best practices. We ensure end-to-end export support including strict quality inspection, competitive pricing, professional documentation, secure packaging, and timely delivery. Our partner manufacturers operate in audited facilities and hold relevant certifications such as ISO 9001, BIS, IS standards (e.g., IS 4984, IS 4427), and other applicable approvals based on product requirements.

PORTFOLIO OF INDUSTRIAL PIPING

HDPE Pipes

HDPE (High-Density Polyethylene) Pipes are strong, flexible, and corrosion-resistant piping solutions used for water supply, irrigation, industrial fluid transfer, and infrastructure projects. They offer excellent chemical resistance, leak-proof joints, long service life, and high impact strength, making them suitable for both underground and above-ground installations.

Available Range:

- **Diameter:** 20 mm to 630 mm
- **Pressure Rating:** PN 2.5 to PN 16
- **Standard Lengths:** 6 m, 12 m, or coils
- **Material Grade:** PE 63, PE 80, PE100 Available



DWC Pipes (Double Wall Corrugated Pipes)

DWC Pipes feature a corrugated outer wall for high mechanical strength and a smooth inner surface for efficient flow and cable movement. These pipes are widely used for underground protection of electrical cables, telecom cables, and infrastructure ducting, as well as in stormwater and sewerage drainage systems. Their lightweight structure and high load-bearing capacity make installation fast and cost effective.

Available Specifications:

- **Ring Stiffness Classes:** SN4 and SN8
- **Available Sizes:** 40 mm to 315 mm
- **Colors:** Orange, Black, Blue



PLB Duct Pipes

PLB (Permanent Lubricated) Duct Pipes are specially designed for telecom optical fiber cable laying. The permanently lubricated inner surface reduces friction, enabling smooth and long-distance cable installation. These ducts provide excellent durability, environmental resistance, and protection for critical telecom infrastructure.



Available Range:

- **OD:** 32mm, 40mm, 50mm and customised sizes
- Multiple color options available

COMPREHENSIVE FITTINGS & VALVES

To ensure complete system integrity, Tulken Exports provides a full spectrum of compatible, high-grade fittings and flow-control accessories tailored to your piping networks.

Fusion & Compression Fittings

- Electro Fusion Fittings
- Butt Fusion Fittings
- Compression Fittings
- HDPE Spigot Fittings

Moulded, Fabricated & Polypropylene (PP) Accessories

- HDPE Moulded Fittings
- HDPE Fabricated Fittings
- PP Clamps & Saddles
- PP Ball Valves

HDPE PIPE FITTINGS

COMPLETE RANGE OF QUALITY FITTINGS FOR EVERY APPLICATION

90° ELBOW	45° ELBOW	EQUAL TEE	REDUCING TEE	EQUAL CROSS	REDUCING CROSS
CONCENTRIC REDUCER	ECCENTRIC REDUCER	COUPLER	REDUCING COUPLER	END CAP	STUB END
FLANGE	BACKING RING	FLANGE ADAPTOR	MALE ADAPTOR	FEMALE ADAPTOR	UNION
BALL VALVE	BUTTERFLY VALVE	CHECK VALVE	SADDLE CLAMP	ELECTROFUSION COUPLER	ELECTROFUSION ELBOW

CORROSION
RESISTANT

LEAK PROOF
JOINTS

HIGH
STRENGTH

LONG
SERVICE LIFE

UV
RESISTANT

EASY
INSTALLATION

1. HDPE pipes

High Density Polyethylene (HDPE) Pipes manufactured from virgin PE material for water supply, irrigation, industrial, and infrastructure applications.

Material: PE 100 / PE 80 Grade Virgin Raw Material

Parameter		Specification
Material	Grade	PE 100 / PE 80 / PE 63
Diameter	Range	20 mm to 630 mm
Pressure Rating		PN 2.5 to PN 20
Color		Black with Blue Stripes / Customized
Joining		Butt Fusion, Electrofusion, Compression
Operating Temperature		-20°C to +100°C

2. DWC PIPES

Double Wall Corrugated Pipes featuring a corrugated outer wall for superior strength and a smooth inner wall for efficient flow.

Parameter		Specification
Ring Stiffness Class		SN4, SN8
Diameter Range		40 mm to 315 mm
Material		HDPE
Color		Orange / Black
Joining		Coupler & Rubber Ring
Structure		Corrugated Outer, Smooth Inner
Installation Type		Underground

3. PLB HDPE DUCT PIPES

Permanent Lubricated HDPE Duct Pipes specially designed for optical fiber cable installation through cable blowing techniques.

Parameter		Specification
Material		HDPE
Diameter Range		32 mm, 40 mm, 50 mm & Customized
Structure		Smooth Outer & Permanently Lubricated Inner Surface
Color		Orange, Blue, Green & Customized
Coil Length		As per Requirement
UV Resistance		Yes
Installation		Underground / Aerial

QUALITY ASSURANCE

- ✓ Manufactured under a certified ISO 9001:2015 Quality Management System
- ✓ Conforms to IS 4984, IS 4427 & IS 4437 standards
- ✓ Produced from virgin PE80 / PE100 grade raw materials ensuring consistent quality and performance
- ✓ Material available with WRAS approved grade suitability for potable water applications (where applicable)
- ✓ Each production stage is subject to stringent in-process quality control checks
- ✓ Pipes are tested for dimensional accuracy, mechanical strength, and hydrostatic performance as per applicable standards
- ✓ Every batch undergoes final inspection prior to dispatch to ensure reliability and consistency